

workplace matting solutions

MCCRANN CYRUS MFG

Quality Products & Services since 1977

McCCrann Cyrus is known as the North American leader in the design and manufacturing of commercial entry carpet systems and specialty matting. From exterior to interior and heavy duty to light duty, we have the right solution for you.

For over 40 years McCrann Cyrus has focused on innovation in manufacturing beautifully, handcrafted entryway mats that make a statement. Our attention to quality, detail and service has given us a reputation for excellence. We have provided products and services all over the world and our list of clients range from home owners, small entrepreneurs, government, to the Fortune 1000 list of companies. Our team continues to receive accolades for commitment to service and listening to the needs of our clients.

With McCrann Cyrus you get the professionalism and knowledge of generations of highly committed managers and employees. We are proud to be a family firm with a Coast to Coast presence and dependable customer service. We provide end to end customer support for every project and as manufacturers, we own the entire process, from design through to delivery.



Anti-fatigue Matting

Work Matta™ Comfort Open Top	5
Work Matta™ Comfort Solid Top	5
Stand Easy Solid Top	6
Stand Easy Open Top	6
Stand Easy Premier Open Top	7
Stand Easy Premier Solid Top	7
Cushion Tile	8
Personal Comfort Station	8
Weldeez™	9
Weldeez™ Modular	9
3M™ Safety-Walk™ Cushion Matting 5100	10
Plasti-Grip Industrial	10
Competitor Series	11
Journeyman	11
Executive	12
Apprentice	12
Work Matta™ Excel Solid Top	13
Work Matta™ Excel Open Top	13
Work Matta™ Ergo Solid Top	14
Work Matta™ Ergo Open Top	14
Foam Fusion™	15
Competitor Series Light	15
Kineta-Flex™	16
3M™ Safety-Walk™ Cushion Matting 5270	16
Flex Comfort Drain	17
Plasti-Grip	17
Value Flex Solid Top	18
Value Flex Open Top	18
Value Flex Plus	19
Bubble Mat	19
3M™ Safety-Walk™ Cushion Matting 3270	20
Airsoft™ Ribbed	20
Airsoft™ Plus Pebbled	21
Airsoft™ Pebbled	21

Industrial Matting

Fine Rib Rubber	22
Diamond Rubber	23
Diamond Vinyl Commercial	23
Wide Rib Nitrile	24
Wide Rib Rubber	24
Weldeez™ Roll	25
Smooth Rubber	25
Diamond Plate Runner	26
Wide Rib Vinyl	26
Fine Rib Vinyl	27
Industrial Roll	27

Specialty Matting

Airsoft™ Anti-Stat	29
Anti-Stat	29
Switchboard Class 2	30
Switchboard Class 3	30
Coco Mat	31
Coir Matting	31
3M™ Safety-Walk™ Wet Area Matting 1500	32
3M™ Safety-Walk™ Wet Area Matting 3200	32
V-Dek	33
Plasti-Grip 4D	33
Shower Eyewash Station Mats	34
Clean Room Mat	34
Disinfectant Mat	35
Disinfectant Mat (Shallow Well)	35

ANTI-FATIGUE MATTING



Choose an anti-fatigue mat from McCrann Cyrus and help reduce musculoskeletal disorders (MSDs) caused by standing for long periods of time.

Fatigue in the workplace has a direct correlation to decreased productivity and increased accidents. Keep your workplace running smoothly with anti-fatigue matting that decreases discomfort and tiredness associated with standing for a long time on a hard surface. This matting can also reduce MSDs in the back, neck and lower extremities.

Find the right anti-fatigue matting for your working environment and reduce fatigue in your workplace with McCrann Cyrus.

WORK MATTA™ COMFORT OPEN TOP





HEAVY
DUTY

VERY DURABLE TILE DESIGNED TO WITHSTAND HEAVY LOADS AND HARSH WORK ENVIRONMENTS

- Easy to install.
- Customizable modular interlocking system.
- Open top surface allows for drainage.
- Also available in a grit surface for increased traction.

PERFECT FOR: Industrial facilities, manufacturing and heavy loads

Environment	Wet
Total Weight	5.8 lb
Construction	Recycled PVC
Warranty	Limited 10 years
Edging	Available
Recycled Content	100 %
Thickness	1 in.
Color	Black
Individual Sizes	20 in x 20 in.



#22 Black

WORK MATTA™ COMFORT SOLID TOP




HEAVY
DUTY

VERY DURABLE TILE DESIGNED TO WITHSTAND HEAVY LOADS AND HARSH WORK ENVIRONMENTS

- Easy to install.
- Customizable modular interlocking system.
- Solid top surface allows for drainage.
- Also Available in a grit surface for increased traction or ESD for electrically sensitive equipment.

PERFECT FOR: Industrial facilities, manufacturing and heavy loads

Environment	Wet
Total Weight	7.3 lb
Construction	Recycled PVC
Warranty	Limited 10 years
Edging	Available
Recycled Content	100 %
Thickness	1 in.
Color	Black
Individual Sizes	20 in x 20 in.



#22 Black

STAND EASY SOLID TOP



HEAVY DUTY

VERSATILE ANTI-FATIGUE MAT WITH FULL MODULAR DESIGN

- The interlocking system makes it an excellent choice for building custom work areas.
- Solid top surface is easy to keep clean.

PERFECT FOR: Work stations, machine operating and assembly lines.

Environment	Dry
Surface	Solid top
Construction	Rubber (nitrile)
Face Style	Solid
Edging	Modular
Thickness	16mm (5/8 in.)
Individual Sizes	3' x 3'
Total Weight	9.1 kg (20 lb)
Warranty	Limited 3 year
Color	Black



#22 Black

STAND EASY OPEN TOP




HEAVY DUTY

VERSATILE ANTI-FATIGUE MAT WITH FULL MODULAR DESIGN

- The interlocking system makes it an excellent choice for building custom work areas.
- Open top surface allows easy flow of fluids.

PERFECT FOR: Work stations, machine operating and assembly lines.

Environment	Wet
Surface	Open top
Construction	Rubber (natural/recycled)
Face Style	Perforated
Edging	Modular
Thickness	16mm (5/8 in.)
Individual Sizes	3' x 3'
Total Weight	6.8 kg (15 lb)
Warranty	Limited 3 year
Color	Black



#22 Black

STAND EASY PREMIER OPEN TOP

HEAVY
DUTY

NITRILE ANTI-FATIGUE MAT WITH HIGH RESISTANCE TO GREASE

- Versatile mat with a full modular design.
- Interlocking system makes it an excellent choice for building custom work areas.
- Open top surface allows for easy drainage of fluids.

PERFECT FOR: Kitchens, mechanic shops, manufacturing and the oil and gas industry.

Environment	Wet
Surface	Open top
Construction	Rubber (nitrile)
Face Style	Perforated
Edging	Modular
Thickness	16mm (5/8 in.)
Individual Sizes	3' x 3'
Total Weight	6.8 kg (15 lb)
Warranty	Limited 5 year
Color	Black



#22 Black

STAND EASY PREMIER SOLID TOP

HEAVY
DUTY

NITRILE ANTI-FATIGUE MAT WITH HIGH RESISTANCE TO GREASE

- Versatile mat with a full modular design.
- Interlocking system makes it an excellent choice for building custom work areas.
- Easy to clean solid top surface.

PERFECT FOR: Kitchens, mechanic shops, manufacturing and the oil & gas industry.

Environment	Wet
Surface	Solid top
Construction	Rubber (nitrile)
Face Style	Solid
Edging	Modular
Thickness	16mm (5/8 in.)
Individual Sizes	3' x 3'
Total Weight	9.1 kg (20 lb)
Warranty	Limited 5 year
Color	Black



#22 Black

CUSHION TILE




HEAVY DUTY


EXCELLENT CHEMICAL RESISTANCE IN AN INTERLOCKING MODULAR ANTI-FATIGUE TILE

- Open top construction enables drainage while still providing support.
- Available with a grit top surface for increased slip resistance.

PERFECT FOR: Wet areas, machining and manufacturing.



Environment	Wet
Surface	Open top
Construction	100% Recycled PVC
Face Style	Perforated
Edging	Available
Thickness	3/4 in.
Individual Sizes	1' x 1'
Total Weight	1.5 lb
Warranty	Limited 1 year
Color	Black



#22 Black

PERSONAL COMFORT STATION




HEAVY DUTY

EXCELLENT CHEMICAL RESISTANCE IN AN INTERLOCKING MODULAR ANTI-FATIGUE TILE

- Open top construction allows drainage while still providing support.
- Available with a grit top surface for increased slip resistance.
- Includes alternating yellow and black edging on 3 sides.
- Custom options available.

PERFECT FOR: Wet areas, machining and manufacturing.



Environment	Wet
Surface	Open top
Construction	Recycled PVC
Face Style	Perforated
Edging	Available
Thickness	3/4 in.
Individual Sizes	2'x2', 2'x3', 2'x4', 2'x5', 2'x7', 3'x4', 3'x5', 3'x7', 3'x9'
Total Weight	1.5 lb
Warranty	Limited 1 year
Color	Black



#22 Black

WELDEEZ™

HEAVY
DUTY

EXTREMELY EFFECTIVE WELDING MAT DESIGNED TO WITHSTAND SPARKS, WELDING FLUX AND SLAG

- Capable of withstanding temperatures up to 1500°C.
- Highly grease-resistant.
- Provides a comfortable surface.
- Superior durability.
- Available in linear interlocking and individual mats.
- Flame resistant.

PERFECT FOR: Welders, forges, machinists and the oil and gas industry

Environment	Dry
Surface	Solid top
Construction	Rubber (specially compounded nitrile)
Face Style	Domed Bubble Top
Edging	Integrated
Thickness	12.5 mm (1/2 in)
Individual Sizes	3' x 4' - lengthening options available
Total Weight	9.1 lb
Warranty	Limited 5 year
Color	Black



#22 Black

WELDEEZ™ MODULAR


HEAVY
DUTY

EXTREMELY EFFECTIVE WELDING MAT DESIGNED TO WITHSTAND SPARKS, WELDING FLUX AND SLAG

- Capable of withstanding temperatures up to 1500°C.
- Highly grease-resistant.
- Provides a comfortable surface.
- Superior durability.
- Fully modular interlocking mats.

PERFECT FOR: Welders, forges, machinists and the oil and gas industry

Environment	Dry
Surface	Solid Top
Construction	Rubber (specially compounded nitrile)
Face Style	Pebbled
Edging	Modular
Thickness	16mm (5/8 in)
Individual Sizes	3' x 3'
Total Weight	12.7 kg (28 lb)
Warranty	Limited 5 year
Flammability	Flame Resistant



#22 Black

3M™ SAFETY-WALK™ CUSHION MATTING 5100

HEAVY
DUTY

HEAVY DUTY ANIT-FATIGUE MATTING

- Ridged upper surface provides a high traction top.
- Grips the floor and your feet, creating a safer work area.
- Heavy duty PVC Z-web construction is highly resistant to bacteria, grease and cleaners.
- Very durable and effective.

PERFECT FOR: Workstations, wet areas, kitchens and bars.

Environment	Wet
Surface	Open top
Construction	Vinyl Z-Web
Face Style	Z-Web
Edging	Available
Thickness	11mm (7/16 in.)
Roll Size	3' x 50'
Total Weight	6.40 kg/m ² (1.31 lb/ft ²)
Warranty	Limited 1 year
Color	Black
Flammability	DOC FF 1-70: Passes



#22 Black

PLASTI-GRIP INDUSTRIAL



HEAVY
DUTY

EXCELLENT CHEMICAL, GREASE AND SLIP RESISTANT ANTI-FATIGUE MAT

- Great for tough environments.
- Anti-microbial and UV-resistant PVC composition.
- Made with 100% recycled content.
- Provides adequate drainage.

PERFECT FOR: Workstations, machining and spill zones.

Environment	Wet
Surface	Open top
Construction	Vinyl Grid - 100% Recycled content
Face Style	Textured Grid
Edging	Available
Thickness	14.5mm (9/16 in.)
Roll Sizes	2' x 33', 3' x 33', & 4' x 33'
Total Weight	7.00 kg/m ² (1.43 lb/ft ²)
Warranty	Limited 1 year
Color	Black



#22 Black




HEAVY
DUTY

COMPETITOR SERIES

ABSORB IMPACT FROM HIGH TRAFFIC WITH A THICK ANTI-FATIGUE MAT

- Extremely durable and slip resistant.
- Easy to clean and maintain.
- Available in standard black and grease-resistant orange.
- Available in both linear interlocking and individual mats.

PERFECT FOR: Kitchens, mechanic shops, manufacturing and the oil & gas industry.



Environment	Wet
Surface	Open top
Construction	Rubber (Natural/Nitrile) 15-22% recycled content
Face Style	Perforated
Edging	Integrated
Thickness	22 mm (7/8 in.)
Individual Sizes	3' x 5'
Total Weight	21.1 kg (46.4 lb)
Warranty	Standard: Limited 3 year Grease Resistant: Limited 5 year



JOURNEYMAN

MEDIUM
DUTY

LIGHTWEIGHT MATTING WITH TEXTURED BACKING

- Chemical resistant.
- The bubble top surface enhances micro-muscle movements for superior anti-fatigue benefits.
- Optional stable mat grip to ensure mat stays in place on smooth floors and looped pile carpet.

PERFECT FOR: Labs, food prep areas and work benches.



Environment	Dry
Surface	Solid top
Construction	Polyurethane foam
Face Style	Domed bubble top
Edging	Integrated
Thickness	14 mm (9/16 in.)
Individual Sizes	2' x 3'
Total Weight	1.59 kg (3.5 lbs)
Warranty	Limited 1 year
Color	Black

MEDIUM
DUTY

EXECUTIVE

A NEW CLASS OF MAT FOR THE OFFICE

- Resistant to grease and heat.
- Lightweight and slip-resistant.
- Very good heel puncture resistance.
- Optional stable mat grip to ensure mat stays in place on smooth floors and looped pile carpet.

PERFECT FOR: Pharmacies, sit-stand workstations and offices.

Environment	Dry
Surface	Solid top
Construction	Polyurethane rubber foam
Face Style	Textured
Edging	Tapered edges (round corners)
Thickness	17 mm (11/16 in.)
Individual Sizes	2' x 3'
Total Weight	1.64 kg (3.6 lbs)
Warranty	Limited 1 year
Color	Black



MEDIUM
DUTY

APPRENTICE

A NEW CLASS OF MAT FOR THE SERVICE INDUSTRY

- Resistant to grease and heat.
- Lightweight and slip-resistant.
- Optional stable mat grip to ensure mat stays in place on smooth floors and looped pile carpet.

PERFECT FOR: Food areas, check outs and work benches.

Environment	Dry
Surface	Solid top
Construction	Polyurethane rubber foam
Face Style	Textured
Edging	Beveled
Thickness	17 mm (11/16 in.)
Individual Sizes	2' x 3', 3' x 5', 4' x 6'
Total Weight	3.42 kg/m ² (0.70 lb/ft ²)
Warranty	Limited 1 year
Color	Black



WORK MATTA™ EXCEL SOLID TOP





MEDIUM
DUTY

DESIGNED TO HELP REDUCE SHOCK IMPACTS

- Highly durable.
- Modular interlocking system enables easy installation and customization, making it ideal for any job.
- Slip-resistant.
- Solid top surface allows for easy clean up.
- Also available with ESD surface for electronics protection.

PERFECT FOR: Assembly lines, work benches and industrial facilities.

Environment	Dry
Total Weight	6.4 lb
Construction	Recycled PVC
Warranty	Limited 10 years
Edging	Available
Recycled Content	100%
Thickness	1 in.
Color	Black
Individual Sizes	20 in x 20 in.



WORK MATTA™ EXCEL OPEN TOP




MEDIUM
DUTY

AN EXCELLENT BALANCE OF DURABILITY AND ERGONOMICS

- Slip-resistant with efficient drainage.
- Textured open top surface increases slip resistance while allowing efficient drainage.
- Modular interlocking system enables easy installation and customization, making it ideal for any job.

PERFECT FOR: Assembly lines, work benches and industrial facilities.

Environment	Wet
Total Weight	4.6 lb
Construction	Recycled PVC
Warranty	Limited 10 years
Edging	Available
Recycled Content	100%
Thickness	1 in.
Color	Black
Individual Sizes	20 in x 20 in.



WORK MATTA™ ERGO SOLID TOP



MEDIUM
DUTY

HIGHLY VERSATILE ERGONOMIC TILE WITH MODULAR INTERLOCKING SYSTEM

- Excellent slip resistance with a diamond shield surface.
- Easy to install and customize.
- Solid top surface allows for easy clean up.
- Available with ESD surface for the protection of electronics.

PERFECT FOR: Assembly lines, work benches and industrial facilities.

Environment	Dry
Total Weight	2.1 lb
Construction	Recycled PVC
Warranty	Limited 10 years
Edging	Available
Recycled Content	100%
Thickness	9/16 in.
Color	Black
Individual Sizes	10 in x 20 in.



WORK MATTA™ ERGO OPEN TOP



MEDIUM
DUTY

HIGHLY VERSATILE ERGONOMIC TILE

- Slip-resistant textured surface.
- Open top allows for efficient drainage.
- Easy to install.
- Easy to customize modular interlocking system.
- Very comfortable.

PERFECT FOR: Wet work areas, swimming pools and shower rooms..

Environment	Wet
Total Weight	1.8 lb
Construction	Recycled PVC
Warranty	Limited 10 years
Edging	Available
Recycled Content	100%
Thickness	9/16 in.
Color	Black
Individual Sizes	10 in x 20 in.



FOAM FUSION™



MEDIUM DUTY

LAMINATED LONG-LASTING PVC FOAM CREATES A COMFORTABLE CUSHIONED ANTI-FATIGUE SURFACE

- Easy to clean and provides comfort for a full work day.
- Slip-resistant diamond plate surface handles the wear of traffic.
- Beveled edging available.

PERFECT FOR: Machine operating, assembly lines, work benches & warehouses.

Environment	Dry
Surface	Solid Top
Face Material	Vinyl (PVC)
Face Style	Diamond Plate
Edging	Tapered Edges
Thickness	16 mm (5/8 in)
Sizes	Individual: 2' x 3', 3' x 5' Rolls: 2' x 75', 3' x 75', & 4' x 75'
Total Weight	7.50 kg/m ² (1.54 lb/ft ²)
Warranty	Limited 1 year
Recycled Content	35 %



#22 Black



#97 Black/Yellow

COMPETITOR SERIES LIGHT




MEDIUM DUTY

TOUGH YET LIGHTWEIGHT ANTI-FATIGUE MAT. EASY TO MOVE WHILE MAINTAINING ITS SUPERIOR SLIP RESISTANCE

- Easy to clean and maintain.
- Available in standard black and grease-resistant orange.
- Mats larger than 3' x 5' are seamed.

PERFECT FOR: Kitchens, mechanic shops, manufacturing and the oil & gas industry.

Environment	Wet
Surface	Open top
Construction	Rubber (Natural/Nitrile) 15-22% recycled content
Face Style	Perforated
Edging	Integrated
Thickness	14.5 mm (9/16 in.)
Individual Sizes	3' x 5', 3' x 10', 3' x 15', 3' x 20'
Total Weight	10.4 kg (22.8 lb)
Warranty	Standard: Limited 3 year Grease Resistant: Limited 5 year



#14 Burnt Orange



#22 Black

KINETA-FLEX™


MEDIUM
DUTY

HIGH QUALITY, VERY DURABLE ANTI-FATIGUE MAT

- Domed construction of the flexible rubber provides extremely long-lasting anti-fatigue properties.
- Available in standard grey or grease-resistant black rubber.
- Slip-resistant solid top is easy to clean.
- Available in both lineal interlocking and individual mats.

PERFECT FOR: Workstations, mechanic shops, manufacturing and the oil & gas industry.

Environment	Dry
Surface	Solid Top
Construction	Rubber (Natural/Nitrile)
Face Style	Domed Bubble Top
Edging	Integrated
Thickness	14.5 mm (9/16 in.)
Individual Sizes	2' x 3', 3' x 4', 31.5" x 11.5" End, 31.5" x 26" Center
Total Weight	9.25 kg/m ² (1.89 lb/ft ²)
Warranty	Limited 3 year / Grease Resistant - Limited 5 year



#22 Grease Proof



#25 Standard

3M™ SAFETY-WALK™ CUSHION MATTING 5270

MEDIUM
DUTY

LONG-LASTING ANTI-FATIGUE MAT

- Textured surface is slip-resistant.
- Coiled vinyl loops underneath surface provide compaction-resistant anti-fatigue cushioning and superior grip to the floor.

PERFECT FOR: Workstations, walkways and assembly lines.

Environment	Dry
Surface	Solid Top
Face Material	Vinyl (PVC)
Face Style	Textured Surface
Edging	Available
Thickness	16mm (5/8 in.)
Roll Size	3' x 50'
Total Weight	5.42 kg/m ² (1.11 lb/ft ²)
Warranty	Limited 1 year
Backing	Vinyl Loop
Flammability	DOC FF 1-70: Passes



#22 Black



MEDIUM DUTY

FLEX COMFORT DRAIN

LIGHTWEIGHT ANTI-FATIGUE MATTING

- Excellent resistance to grease and oils.
- 100% nitrile composition.
- Perforated to allow drainage.
- Ideal for kitchen use.

PERFECT FOR: Kitchens, mechanic shops, manufacturing and the oil and gas industry.

Environment	Wet
Total Weight	7.75 kg (17.0 lb)
Construction	Rubber (Nitrile)
Warranty	Limited 3 years
Edging	Integrated
Recycled Content	5%
Thickness	9.5 mm (3/8 in.)
Face Style	Textured Raised Surface
Individual Sizes	3' x 5'



MEDIUM DUTY





PLASTI-GRIP

EXCELLENT CHEMICAL, GREASE AND SLIP-RESISTANT ANTI-FATIGUE MAT

- Anti-microbial and UV resistant PVC composition makes this mat a great choice for tough environments.
- Cost effective with good drainage.
- Embossed top creates an excellent anti-slip surface.
- Flexible suspended PVC top ribbing provides comfortable, stable cushioning - even for bare feet.

PERFECT FOR: Workstations, machining and spill zones.

Environment	Wet
Surface	Open Top
Construction	Vinyl Grid
Face Style	Textured Grid
Edging	Available
Thickness	12.5 mm (1/2 in.)
Roll Sizes	2' x 33', 3' x 33', & 4' x 33'
Total Weight	6.80 kg/m ² (1.39 lb/ft ²)
Warranty	Limited 1 Year
Recycled Content	50%



VALUE FLEX SOLID TOP


LIGHT
DUTY

GREAT VALUE ANTI-FATIGUE MATTING

- Excellent traction.
- Interlocking edges.

PERFECT FOR: Warehouses, work benches and machine-operating.

Environment	Dry
Total Weight	76 kg (16.8 lb)
Surface	Solid Top
Warranty	Limited 1 year
Edging	Integrated
Construction	Rubber
Thickness	145 mm (9/16 in.)
Face Style	Solid Top
Individual Sizes	3' x 3'



#22 Black

VALUE FLEX OPEN TOP



LIGHT
DUTY

GOOD VALUE ANTI-FATIGUE MATTING

- Excellent traction.
- Holes allow for drainage.
- Interlocking edges.
- Great for a wide variety of applications.

PERFECT FOR: Warehouses, work benches and machine-operating.

Environment	Wet
Total Weight	6 kg (13 lb)
Surface	Open Top
Warranty	Limited 1 year
Construction	Rubber
Thickness	145 mm (9/16 in.)
Face Style	Perforated
Individual Sizes	3' x 3'



#22 Black



LIGHT DUTY

VALUE FLEX PLUS

GREAT VALUE ANTI-FATIGUE MATTING

- Excellent traction.
- Open top for drainage.
- Integrated beveled edge.

PERFECT FOR: Warehouses, work benches and machine-operating.



#22 Black

Environment	Wet
Total Weight	9.0 kg (19.8 lb)
Construction	Rubber
Warranty	Limited 1 year
Edging	Integrated
Recycled Content	22%
Thickness	12.5 mm (1/2 in.)
Face Style	Open Top
Individual Sizes	3' x 5'



LIGHT DUTY

BUBBLE MAT


TOUGH AND ECONOMICAL, THIS MAT IS PERFECT FOR DRY WORKSTATIONS

- Bubble top encourages micro-muscle movements, increasing circulation to the legs.
- Available in both linear interlocking and individual mats.

PERFECT FOR: Machine-operating, assembly lines, work benches and warehouses.



#97 Black/Yellow



#22 Black

Environment	Dry
Total Weight	7.30 kg (1.50 lb)
Construction	Rubber
Warranty	Limited 1 year
Edging	Integrated
Recycled Content	54%
Thickness	16 mm (5/8 in.)
Face Style	Domed Bubble Top
Individual Sizes	2' x 3', 3' x 4' - lengthening option available

3M™ SAFETY-WALK™ CUSHION MATTING 3270

LIGHT
DUTY

SLIP RESISTANT TEXTURED SURFACE.

- Reduce slips and falls with this light duty anti-fatigue mat.
- Coiled vinyl loops underneath surface are compact-resistant.
- Edging available in black or yellow.
- Vinyl loops provide strong adhesion to the floor.

PERFECT FOR: Workstations, walkways and assembly lines.

Environment	Dry
Surface	Solid Textured Top
Face Material	Vinyl (PVC)
Edging	Available
Thickness	14.5 mm (9/16 in.)
Roll Size	3' x 60'
Total Weight	4.51 kg/m ² (0.92 lb/ft ²)
Warranty	Limited 1 year
Backing	Vinyl Loop
Flammability	DOC FF 1-70: Passes ASTM D-2859: Passes NFPA 253: Class I



AIRSOFT™ RIBBED



LIGHT
DUTY

RIBBED SURFACE FOR ENHANCED TRACTION

- Economical and effective.
- Improves worker productivity.
- Decreases risk of long-term musculoskeletal disorders (MSDs).

PERFECT FOR: Cashiers, offices and workstations.

Environment	Dry
Surface	Solid Top
Construction	Vinyl (PVC) Foam
Face Style	Ribbed
Edging	Tapered Edges
Thickness	9.5 mm (3/8 in.)
Individual Sizes	2' x 3', 3' x 5', 3' x 10'
Total Weight	2.90 kg/m ² (0.59 lb/ft ²)
Warranty	Limited 1 Year
Roll Sizes	2' x 60', 3' x 60', 4' x 60'



LIGHT
DUTY

AIRSOFT™ PEBBLED

ECONOMICAL AND EFFECTIVE ANTI-FATIGUE MAT

- Reduce likelihood of long-term musculoskeletal disorders (MSDs).
- Pebbled surface is easy to clean.

PERFECT FOR: Cashiers, offices and workstations.



Environment	Dry
Surface	Solid Top
Construction	Vinyl (PVC) Foam
Face Style	Pebbled
Edging	Tapered Edges
Thickness	9.5 mm (3/8 in.)
Individual Sizes	2' x 3', 3' x 5', 3' x 10'
Total Weight	2.90 kg/m ² (0.59 lb/ft ²)
Warranty	Limited 1 Year
Roll Sizes	2' x 60', 3' x 60', 4' x 60'



#22 Black



#25 Grey



#97 Black/Yellow

LIGHT
DUTY

AIRSOFT™ PLUS PEBBLED

ANTI-FATIGUE MAT WITH ENHANCED SHOCK ABSORBING PROPERTIES

- Thicker foam than Airsoft™ Pebbled.
- Boosts worker productivity.
- Reduces risk of long-term musculoskeletal disorders (MSDs).
- Easy to clean pebbled surface.

PERFECT FOR: Cashiers, offices and workstations.



Environment	Dry
Surface	Solid Top
Construction	Vinyl (PVC) Foam
Face Style	Pebbled
Edging	Tapered Edges
Thickness	16 mm (5/8 in.)
Individual Sizes	2' x 3', 3' x 5', 3' x 10'
Total Weight	4.80 kg/m ² (0.98 lb/ft ²)
Warranty	Limited 1 Year
Roll Sizes	2' x 60', 3' x 60', 4' x 60'



#22 Black



#25 Grey

INDUSTRIAL MATTING

Industrial mats perform in the most demanding environments - find your solution with McCrann Cyrus Mfg.

Industrial matting products are designed to protect your workers and your workplace environment. These mats can improve safety with enhanced traction and protect your equipment and workspace from impact damage. Industrial matting can be effective in wet or dry environments.

FINE RIB RUBBER





HEAVY DUTY

SLIP-RESISTANT ECONOMICAL RUNNER MAT

- Tough work surface protection.
- V-groove design provides a high traction surface.
- Tight pattern enables light wheeled loads to cross unimpeded.

PERFECT FOR: Work surfaces, increasing traction and protecting floor surfaces.



#22 Black

Environment	Dry
Surface	Solid Top
Construction	Rubber (Natural/Recycled)
Face Style	Fine Rib
Recycled Content	70%
Thickness	3mm (1/8 in)
Roll Sizes	2' x 75', 3' x 75', 4' x 75'
Total Weight	3.66 kg/m ² (0.75 lb/ft ²)
Warranty	Limited 1 year
Color	Black

DIAMOND RUBBER




HEAVY
DUTY

MULTI DIRECTIONAL SLIP-RESISTANT RUNNER MAT

- Economical mat with tough surface protection.
- Great for marking pedestrian walkways or as a tactile warning strip.

PERFECT FOR: Work surfaces, increasing traction and protecting floor surfaces.

Environment	Dry
Surface	Solid Top
Construction	Rubber (Natural/Recycled)
Face Style	Diamond Plate
Recycled Content	70%
Thickness	3mm (1/8 in), 6.5mm (1/4 in)
Roll Sizes	3' x 75', 4' x 75', 5' x 75' (1/8" only)
Total Weight	1/8" - 3.66 kg/m ² (0.75 lb/ft ²) 1/4" - 6.10 kg/m ² (1.25 lb/ft ²)
Warranty	Limited 1 year
Color	Black



DIAMOND VINYL COMMERCIAL

HEAVY
DUTY

WATERPROOF, STAIN AND MOLD-RESISTANT VINYL FLOOR COVER

- Embossed surface provides increased traction.
- Withstands heavy foot traffic.
- Tough enough to park cars on.

PERFECT FOR: Concrete floors, garages, commercial buildings & cargo trailers

Environment	Dry
Surface	Slip Resistant
Construction	Vinyl (PVC)
Face Style	Diamond Plate
Flammability	GM 9070P Flammability Test: DNI (Does Not Ignite)
Thickness	3mm (1/8 in)
Roll Sizes	10' x 60'
Total Weight	2.94 kg/m ² (0.60 lb/ft ²)
Warranty	Limited 1 year
Color	Black & Grey



WIDE RIB NITRILE



HEAVY
DUTY

SLIP-RESISTANT, 100% NITRILE RUBBER RUNNER MAT OFFERS STRONG WORK SURFACE PROTECTION

- Provides increased traction.
- Superior grease resistance.
- Good pedestrian walkway or tactile warning product.
- Can be used to line tool cribs and work benches.

PERFECT FOR: Grease/oil work zones, work surfaces, increasing traction and protecting floor surfaces.

Environment	Dry
Roll Sizes	3' x 75', 4' x 75'
Surface	Solid Top
Construction	Rubber (Nitrile)
Warranty	Limited 1 year
Face Style	Wide Rib
Color	Black
Total Weight	1/8" - 3.66 kg/m ² (0.75 lb/ft ²) 1/4" - 6.10 kg/m ² (1.25 lb/ft ²)
Thickness	3mm (1/8 in), 6.5 mm (1/4in)



#22 Black

WIDE RIB RUBBER



HEAVY
DUTY

ECONOMICAL RUNNER MAT FOR WORK SURFACE PROTECTION

- Linear rib design provides slip resistance.
- Rubber construction ensures effectiveness at low temperatures.
- Offers tough work surface protection and increased traction.
- 1/4" only available in black.

PERFECT FOR: Work surfaces, increasing traction and protecting floor surfaces.

Environment	Dry
Surface	Solid Top
Construction	Rubber (Natural/Recycled)
Face Style	Wide Rib
Recycled Content	70%
Thickness	3mm (1/8 in), 6.5mm (1/4 in)
Roll Sizes	2' x 75', 3' x 75', 4' x 75'
Total Weight	1/8" - 3.66 kg/m ² (0.75 lb/ft ²) 1/4" - 6.10 kg/m ² (1.25 lb/ft ²)
Warranty	Limited 1 year
Color	Black



#22 Black



#25 Grey



#11 Brown

WELDEEZ™ ROLL

MEDIUM DUTY

EXTREMELY EFFECTIVE WELDING MAT DESIGNED TO WITHSTAND SPARKS, WELDING FLUX AND SLAG

- Withstands high temperatures.
- Highly grease-resistant.
- Very comfortable with superior durability.

PERFECT FOR: Welders, forges, machinists and oil and gas industry.



Environment	Dry
Roll Sizes	3' x 75', 4' x 75'
Surface	Solid Top
Construction	Rubber (Specially compounded Nitrile)
Warranty	Limited 5 year
Face Style	Smooth
Color	Black
Total Weight	4.15 kg/m ² (0.85 lb/ft ²)
Thickness	3mm (1/8 in.)
Flammability	Flame Resistant

SMOOTH RUBBER



MEDIUM DUTY

SIP-RESISTANT ECONOMICAL RUNNER MAT

- Offers strong work surface protection.
- Provides increased traction.
- 6.5 ft. (2M) available only in 1/8 in. thickness.

PERFECT FOR: Work surfaces, increasing traction and protecting floor surfaces.



Environment	Dry
Surface	Solid Top
Construction	Rubber (Natural/Recycled)
Face Style	Smooth
Recycled Content	70%
Thickness	3mm (1/8 in), 6.5mm (1/4 in)
Roll Sizes	3' x 75', 4' x 75', (2M' x 75' - 1/8" thick only)
Total Weight	1/8" - 3.66 kg/m ² (0.75 lb/ft ²) 1/4" - 6.10 kg/m ² (1.25 lb/ft ²)
Warranty	Limited 1 year
Color	Black

DIAMOND PLATE RUNNER

MEDIUM DUTY

AN ALTERNATIVE INDUSTRIAL RUNNER MAT WITH EXCELLENT SLIP AND CHEMICAL RESISTANCE

- Economical mat offers tough work surface protection and increased traction.
- Comes in three color options.

PERFECT FOR: Work surfaces, increasing traction and protecting floor surfaces.



#22 Black



#25 Grey



#97 Black/Yellow

Environment	Dry
Roll Sizes	2' x 75', 3' x 75', 4' x 75'
Surface	Solid Top
Construction	Vinyl (PVC)
Warranty	Limited 1 Year
Face Style	Diamond Plate
Total Weight	3.66 kg/m ² (0.75 lb/ft ²)
Thickness	3mm (1/8 in.)
Color	3 Colors

WIDE RIB VINYL




MEDIUM DUTY

ECONOMICAL RUNNER MAT FOR TOUGH WORK SURFACE PROTECTION AND INCREASED TRACTION

- Vinyl construction offers greater oil, grease and chemical resistance.
- Recommended for indoor use only.

PERFECT FOR: Work surfaces and walking surfaces that need protection.



#22 Black

Environment	Dry
Surface	Solid Top
Construction	Vinyl (PVC)
Face Style	Wide Rib
Recycled Content	50%
Thickness	3mm (1/8 in.)
Roll Sizes	3' x 75', 4' x 75'
Total Weight	3.47 kg/m ² (0.71 lb/ft ²)
Warranty	Limited 1 year
Color	Black

FINE RIB VINYL

MEDIUM
DUTY

GREASE AND CHEMICAL-RESISTANT ECONOMICAL RUNNER MAT

- Provides strong work surface protection and increased traction.
- V-groove design provides a high traction surface.
- Tight pattern enables light wheeled loads to cross unimpeded.

PERFECT FOR: Work surfaces and walking surfaces that need protection.



#22 Black

Environment	Dry
Surface	Solid Top
Construction	Vinyl (PVC)
Face Style	Fine Rib
Recycled Content	50%
Thickness	3mm (1/8 in)
Roll Sizes	3' x 105'
Total Weight	3.47 kg/m ² (0.71 lb/ft ²)
Warranty	Limited 1 year
Color	Black

INDUSTRIAL ROLL




MEDIUM
DUTY


LONG LASTING REVERSIBLE SLIP RESISTANT MAT

- Perforated for effective drainage.
- Available in grease-proof burnt orange or standard black rubber.

PERFECT FOR: Fabrication shops, warehouses, restaurants and slip prone areas.



#14 Grease Proof



#22 Black

Environment	Wet
Surface	Perforated
Construction	Rubber (Natural/Nitrile)
Face Style	Perforated
Recycled Content	20%
Thickness	9.5mm (3/8 in.)
Roll Sizes	3' x 64'
Total Weight	6.7 kg/m ² (1.4 lb/ft ²)
Warranty	Limited 1 year
Color	2 Colors

SPECIALTY MATTING

McCCrann Cyrus offers specialty matting solutions that address a range of specific requirements and applications situations.

Matting is the first line of defense when managing electrically sensitive areas, contamination concerns or biohazard control. Get long-term peace-of-mind with McCrann's specialty matting, specifically designed and constructed to ensure that it performs as it should.



Did you know?

1. Di-electric mats are designed to prevent grounding, while anti-static mats promote grounding.
2. Plastic products are more resistant to bacteria contamination than rubber.
3. A good wet area mat must grip to the floor as well as it grips to the feet

AIRSOFT™ ANTI-STAT

ELECTRICAL

FOAM BASED ANTI-FATIGUE MAT THAT PROTECTS SENSITIVE ELECTRONICS FROM STATIC DISCHARGE

- Has a static dissipative rating of $10^8 - 10^9$ ohms/sq. ft.
- Easy to clean textured surface.
- Grounding cord required.

PERFECT FOR: In front of computer stations, printers and in static-prone office spaces.



Environment	Dry
Surface	Solid Top
Construction	Vinyl (PVC) Foam
Face Style	Pebbled
Flammability	FMVSS 302 Flame Resistance - Pass Rating Flammability: CPSC FF-170 - Pass Rating
Thickness	9.5mm (3/8 in.)
Roll Sizes	3' x 60', 4' x 60'
Total Weight	3.22 kg/m ² (0.66 lb/ft ²)
Warranty	Limited 1 year
Edging	Tapered Edges



#25 Grey

ANTI-STAT

ELECTRICAL

VINYL ANTI-STAT MAT FOR SENSITIVE EQUIPMENT THAT REQUIRES ELECTROSTATIC DISSIPATIVE (ESD) PROTECTION

- Effective on floors or work surfaces.
- Thin to minimize tripping.
- Electrostatic dissipative properties: $7 \times 10^8 - 9 \times 10^9$ ohms/sq. ft.
- Grounding Required.

PERFECT FOR: Computer stations, printers and electrically sensitive devices.



Environment	Dry
Surface	Solid Top
Construction	Vinyl (PVC)
Face Style	Pebbled
Color	Grey
Thickness	3mm (1/8 in.)
Roll Sizes	3' x 50', 4' x 50'
Total Weight	3.66 kg/m ² (0.75 lb/ft ²)
Warranty	Limited 1 year



#25 Grey

SWITCHBOARD CLASS 2



ELECTRICAL

OZONE, OIL AND FLAME-RESISTANT HIGH VOLTAGE PROTECTION

- Slip-resistant surface.
- Dielectric test voltage: 30,000 VAC.
- Proof tested over entire surface at 20,000 VAC.
- Recommended maximum use voltage: 17,000 VAC.

PERFECT FOR: Switchboards, transformers, generators and high voltage equipment.

Environment	Dry
Surface	Slip Resistant
Construction	Vinyl (PVC)
Face Style	Fine Rib
Color	2 Colors
Thickness	6.5 mm (1/4 in.)
Roll Sizes	2' x 75', 3' x 75', 4' x 75'
Total Weight	7.81 kg/m ² (1.60 lb/ft ²)
Warranty	Limited 1 year
Flammability	Flame Resistant
Individual Sizes	3' x 5', 3' x 10'



SWITCHBOARD CLASS 3



ELECTRICAL

OZONE, OIL AND FLAME-RESISTANT HIGH VOLTAGE PROTECTION

- Dielectric test voltage: 60,000 VAC.
- Proof tested over entire surface at 30,000 VAC.
- Recommended maximum use voltage: 26,500 VAC.

PERFECT FOR: Switchboards, transformers, generators and high voltage equipment.

Environment	Dry
Surface	Slip Resistant
Construction	Vinyl (PVC)
Face Style	Fine Rib
Color	Black
Thickness	9.5 mm (3/8 in.)
Roll Sizes	3' x 75'
Total Weight	12.60 kg/m ² (2.58 lb/ft ²)
Warranty	Limited 1 year
Individual Sizes	3' x 5', 3' x 10'



COCO MAT

BIODEGRADABLE

BIODEGRADABLE 100% NATURAL FIBER SCRAPER MATS

- Economical.
- Lightweight and easy to handle.
- Great for temporary installations or quickly replaced applications.

PERFECT FOR: Shops, secondary entrances and environmentally sensitive areas.

Environment	Indoor/Outdoor
Surface	Wiper/Scrapper
Face Construction	Hand Woven Natural Fiber
Face Style	Brush
Face Material	Coco Fiber
Thickness	35mm (1-3/8 in.)
Individual Sizes	14" x 24", 16" x 27", 18" x 30", 20" x 33", 22" x 36", 24" x 39", 26" x 42", 30" x 48", 36" x 60", 48" x 72"
Total Weight	5.08 kg/m ² (1.04 lb/ft ²)
Color	Natural



#05 Natural

COIR MATTING


BIODEGRADABLE

ECONOMICAL ECO-FRIENDLY SURFACE PROTECTOR AND WIPER/SCRAPER MAT

- Biodegradable with 100% natural fiber.
- Great for temporary walkways or camp paths.
- Often used to increase traction in muddy terrain.

PERFECT FOR: Shops, secondary entrances and environmentally sensitive areas.

Environment	Indoor/Outdoor
Surface	Wiper/Scrapper
Construction	Coco fiber weave
Face Style	Herringbone
Thickness	8mm (5/16 in.)
Roll Sizes	27" x 150', 36" x 150', 45" x 150', 72" x 150'
Total Weight	1.61 kg/m ² (0.33 lb/ft ²)
Color	Natural



#05 Natural

3M™ SAFETY-WALK™ WET AREA MATTING 1500


WET

ANTI-MICROBIAL, SLIP-RESISTANT MAT

- Creates a safe and comfortable surface to walk on, especially for bare foot traffic.
- Easy to move and maintain with a lightweight construction.
- Enhanced traction with multi-directional drainage.

PERFECT FOR: Around pools, saunas and locker rooms.

Environment	Wet
Surface	Open Top
Construction	Vinyl Loop
Face Style	Vinyl Loop
Thickness	9.5 mm (3/8 in.)
Roll Sizes	3' x 50'
Total Weight	1.80 kg/m ² (0.37 lb/ft ²)
Color	Blue
Warranty	Limited 1 year
Edging	Available
Flammability	DOC FF 1-70: Passes



3M™ SAFETY-WALK™ WET AREA MATTING 3200

WET

ANTI-MICROBIAL, SLIP-RESISTANT MAT

- Creates a safe and comfortable surface to walk on.
- Very effective drainage with open construction.
- Highly durable and easy to clean.
- Mat will not crush over time.
- Resistant to mildew, fungus and other odor producers.

PERFECT FOR: Around pools, saunas and locker rooms.

Environment	Wet
Surface	Open Top
Construction	Vinyl Z-Web
Face Style	Z-Web
Thickness	5 mm (3/16 in.)
Roll Sizes	3' x 50'
Total Weight	3.40 kg/m ² (0.70 lb/ft ²)
Warranty	Limited 1 year
Edging	Available
Flammability	DOC FF 1-70: Passes





WET


V-DEK

SIMPLE TO ASSEMBLE WET AREA MODULAR TILE


- Use around workstations and wet areas for superior slip resistance and drainage.
- Resistant to mildew, fungus and other odor producers.
- Anti-microbial properties.

PERFECT FOR: Work benches, wet areas and pools.

Environment	Wet
Surface	Open Top
Construction	Vinyl (PVC)
Face Style	Dimpled
Recycled Content	35%
Thickness	14.5 mm (9/16 in)
Individual Sizes	1' x 1'
Total Weight	0.40 kg (0.89 lb)
Warranty	Limited 1 year
Color	2 Colors
Edging	Modular



#22 Black



#40 Blue



WET


PLASTI-GRIP 4D

EXCELLENT CHEMICAL, GREASE AND SLIP-RESISTANCE

- Great for tough environments.
- Anti-microbial and UV-resistant PVC composition.
- Spacing on top surface ensures adequate drainage.
- Drain channels allow for multi-directional flow.
- Embossed upper surface provides friction while still being soft enough for bare foot traffic.

PERFECT FOR: Wet areas, shower/locker rooms and spill zones.

Environment	Wet
Surface	Open Top
Construction	Vinyl Grid
Face Style	Textured Grid
Recycled Content	50%
Thickness	12.5 mm (1/2in)
Roll Sizes	2' x 33', 3' x 33' & 4' x 33'
Total Weight	6.80 kg/m ² (1.39 lb/ft ²)
Warranty	Limited 1 year



Blue

SHOWER EYEWASH STATION MAT




WET


EXCELLENT CHEMICAL RESISTANCE IN AN INTERLOCKING MODULAR ANTI-FATIGUE TILE

- Open top construction enables easy drainage.
- High-visibility safety colours allow stations to be easily identified.
- Anti-slip surface keeps employees safe.
- Yellow edging on three sides.


PERFECT FOR: Eyewash and shower stations, wet safety areas.



Environment	Wet
Individual Sizes	2' x 2' & 3' x 3'
Construction	Recycled PVC
Total Weight	1.5 lb
Edging	Available
Warranty	Limited 1 year
Thickness	3/4"
Colors	2 Colors
Recycled Content	100%



#30 Red



#50 Green


CLEAN ROOM MAT

DECONTAMINATION

HI-TECH DIRT AND DUST CONTROL

- Adhesive coating traps fine soils and contaminants.
- Release adhesive backing holds mat securely in place.
- 30 easy-peeling sheets per mat; 4 mats per case; sold by the case.

PERFECT FOR: Medical facilities, labs and dust sensitive environments.



White

Environment	Dry
Individual Sizes	18" x 47", 24" x 36", 24" x 45", 36" x 36"
Surface	Soild Top
Total Weight	3.8 to 6.1 kg (8.4 to 13.6 lbs) - per case of 4 mats
Construction	Polyethylene Film with Adhesive
Color	White
Thickness	3mm (1/8 in)

DISINFECTANT MAT




DECONTAMINATION

EFFECTIVE FOR PASSIVE APPLICATION OF DISINFECTANT SOLUTIONS TO REDUCE THE RISK OF CONTAMINATION

- Deep well allows for excellent footwear coverage with the solution.
- Smooth corner sections are designed for easy pumping when changing the solution.

PERFECT FOR: Clean rooms, labs, food processing and farms.

Environment	Indoor
Individual Sizes	32" x 39"
Surface	Containment Well
Total Weight	11.4 kg (25 lb)
Construction	Rubber
Warranty	Limited 1 year
Face Style	Scraper Fingers
Recycled Content	54%
Edging	Integrated
Thickness	64mm (2-1/2 in)



DISINFECTANT MAT (SHALLOW WELL)




DECONTAMINATION

EFFECTIVE FOR PASSIVE APPLICATION OF DISINFECTANT SOLUTIONS TO REDUCE THE RISK OF CONTAMINATION

- Chemical-resistant.
- Small, lightweight design.
- Good for portable or temporary applications.

PERFECT FOR: Clean rooms, labs, food processing and farms.

Environment	Indoor
Individual Sizes	24" x 32"
Surface	Containment Well
Total Weight	5.5 kg (12.2 lb)
Construction	Rubber
Warranty	Limited 1 year
Face Style	Scraper Fingers
Recycled Content	54%
Edging	Integrated
Thickness	12.5 mm (1/2 in)



www.mccrannycyrus.com

CANADA

1290 BOUNDARY ROAD
BURNABY BC
V5K 4T6

USA

6910 SALASHAN PARKWAY
5A, FERNDALE WA
98248

Tel: 604-298-2522
Toll Free: 1 (800) 661-3387
Email: info@mccrannycyrus.com